

# STATE OF NEW YORK

---

5892--A

2023-2024 Regular Sessions

## IN ASSEMBLY

March 24, 2023

---

Introduced by M. of A. THIELE -- read once and referred to the Committee on Environmental Conservation -- committee discharged, bill amended, ordered reprinted as amended and recommitted to said committee

AN ACT to amend the environmental conservation law, in relation to powers and responsibilities with respect to certain plumbing fixtures

The People of the State of New York, represented in Senate and Assembly, do enact as follows:

1 Section 1. Section 15-0314 of the environmental conservation law, as  
2 amended by chapter 161 of the laws of 2002, subdivisions 2, 3 and 8 as  
3 amended by chapter 65 of the laws of 2020, is amended to read as  
4 follows:

5 § 15-0314. Powers and responsibilities with respect to certain plumbing  
6 fixtures.

7 1. On and after the effective date of this section, no individual,  
8 public or private corporation, political subdivision, government agency,  
9 department or bureau of the state, municipality, industry, co-partner-  
10 ship, association, firm, trust, estate or other legal entity shall, for  
11 purposes of use in this state, distribute, sell, offer for sale, import  
12 or install any sink faucet or lavatory faucet, shower head, drinking  
13 water fountain, urinal or water closet, including tank-type toilets,  
14 flushometer-tank toilets, flushometer-valve toilets, electromechanical  
15 hydraulic toilets, and all other types of toilets that use water and  
16 associated flush-valve, if any, or spray sprinkler body, unless it shall  
17 meet the water saving performance standards as provided for in subdivi-  
18 sion two of this section.

19 2. The water saving performance standards for sink and lavatory  
20 faucets, shower heads, drinking water fountains, urinals and water clos-  
21 ets, including tank-type toilets, flushometer-tank toilets, flushome-  
22 ter-valve toilets, electromechanical hydraulic toilets, dual-flush  
23 toilets and all other types of toilets that use water shall be as  
24 follows:

EXPLANATION--Matter in italics (underscored) is new; matter in brackets  
[-] is old law to be omitted.

LBD04633-03-3

(a) for lavatory faucets, at a constant water pressure of sixty pounds per square inch, maximum flow shall not exceed 1.5 gallons of water per minute (or .25 gallons per cycle for lavatory faucets designed as metering faucets) and provided that those faucet models installed in public buildings must be of a self-closing variety and must be designed to limit the discharged flow rate of water to a maximum of .5 gallons per minute at a constant water pressure of sixty pounds per square inch or must be of the metering type which limit the discharge of water to a maximum of .25 gallons per cycle; and

(b) for sink faucets, at a constant water pressure of sixty pounds per square inch, maximum flow shall not exceed 2.2 gallons of water per minute; and

(c) for shower heads, at a constant water pressure of eighty pounds per square inch, maximum flow shall not exceed 2.0 gallons of water per minute; and

(d) for urinals and associated flush-valve, if any, maximum flow shall not exceed an average of 0.5 gallons of water per flush (except for urinals designated and marketed exclusively for use in prisons or mental health care facilities); and

(e) except for water closets and toilets designed and marketed exclusively for use in prisons or mental health care facilities, (1) for water closets and associated flush-valve, if any, maximum flow shall not exceed an average of 1.28 gallons of water per flush; (2) for dual-flush tank-type water closets, the average of two reduced flushes and one full flush shall not exceed 1.28 gallons of water per flush; and (3) for dual-flush flushometer-valve water closets, maximum flow shall not exceed an average of 1.28 gallons of water per flush; and

(f) drinking water fountains must be of a self-closing variety; and  
(g) spray sprinkler bodies unless used for agricultural purposes specifically excluded from the scope of the United States Environmental Protection Agency watersense program "Specification for Spray Sprinkler Bodies, Version 1.0", must include an integral pressure regulator and must meet the water efficiency and performance criteria and other requirements of the "Specification for Spray Sprinkler Bodies, Version 1.0".

3. Each shower head, sink or lavatory faucet, both box and product, shall be marked and labeled, and each water closet or urinal, or each component if the water closet or urinal is comprised of two or more components, both box and product, and each spray sprinkler body, both box and product, shall be marked and labeled in accordance with the latest revision of the standards designated American National Standards, written under American National Standards Institute (ANSI), and, as applicable, the following United States Environmental Protection Agency watersense program specification: showerheads (July 26, 2018), tank-type toilets (June 2, 2014), lavatory faucets (October 1, 2007), flushing urinals (August 14, 2009), ~~and~~ flushometer-valve toilets (December 17, 2015), and spray sprinkler body (September 21, 2017).

4. The commissioner may permit the sale and installation of water closets, blow out toilets and associated flush-valves, if any, which do not meet the standards provided for in subdivision two of this section if after application therefor it is determined by the commissioner that the installation of fixtures which meet such standards would be detrimental to the operation of the existing sewerage system or part of such system, servicing such fixtures.

5. The provisions of this section shall not apply to fixtures which were in compliance with this section and other applicable provisions of

1 law on the date on which they were installed which are removed and relo-  
2 cated to another room or area of the same building or to another build-  
3 ing owned or leased by the owner of the building from which such  
4 fixtures were removed after the effective date of this section, nor  
5 shall they apply to fixtures such as safety showers, bedpan washer  
6 equipped water closets and aspirator faucets, which, in order to perform  
7 a specialized function, cannot meet the standards specified in subdivi-  
8 sion two of this section.

9 6. "Public building" as used in this section, means any building or  
10 portion thereof, used or controlled by any department or branch of a  
11 state or local government, or which is constructed wholly or partially  
12 through state or municipal funds, including tax funds, funds obtained  
13 through bond issues or grants or loans under any state law, which is  
14 likely to be used by the public, including, but not limited to theaters,  
15 concert halls, auditoriums, museums, schools, libraries, recreation  
16 facilities, transportation terminals and stations, factories, office  
17 buildings and building establishments. In addition, "public building"  
18 includes those facilities such as stores, restaurants and hotels which  
19 have restrooms which are open to the public or the clientele of the  
20 facility but not including private restrooms which are part of sleeping  
21 quarters in such a facility. The term "public building" does not include  
22 privately owned residential structures, public housing structures, or  
23 police, fire or correction structures.

24 7. "Agricultural purpose" as used in this section shall mean the prac-  
25 tice of farming for crops, plants, vines and trees, and the keeping,  
26 grazing, or feeding of livestock for sale of livestock or livestock  
27 products, and the on-farm processing of crops, livestock and livestock  
28 products.

29 8. A violation of the provisions of this section shall be liable for a  
30 penalty pursuant to section 71-1127 of this chapter.

31 ~~[8-]~~ 9. The commissioner, to the extent practicable and appropriate,  
32 shall utilize the latest revision of the standards designated American  
33 National Standards, written under American National Standards Institute  
34 (ANSI) procedures in determining requirements under this section, and,  
35 as applicable, the following United States Environmental Protection  
36 Agency watersense program specification: showerheads (July 26, 2018),  
37 tank-type toilets (June 2, 2014), lavatory faucets (October 1, 2007),  
38 flushing urinals (August 14, 2009), ~~[and]~~ flushometer-valve toilets  
39 (December 17, 2015), and spray sprinkler body (September 21, 2017).

40 § 2. This act shall take effect January 1, 2025.